

36-48 Inch Double Sided Cantilever Rack 1500kgs Load For Heavy Duty Storage

Basic Information

Place of Origin: ChinaBrand Name: Qifei

Certification: ISO9001 CE SGS

Model Number: CantileverMinimum Order 10

Quantity:

• Price: \$10-15

Packaging Details: Standard ExportDelivery Time: 20 days after deposit

• Payment Terms: 30% deposit, 70% before delivery

• Supply Ability: 8000ton/year



Product Specification

Depth: 36-48 Inches
Height: 8-20 Feet
Level: 2-5 Levels
Rust: Surface Antirust

Base Length: 1100mm-2100mm Or Customized

Types: Single Or Double SidedDimension: Different Sizes Are Available

Arm Length: 24 InchesColor: CustomizedWarranty: 3 Year

Highlight:
 48 inch double sided cantilever rack,


Heavy Duty double sided cantilever rack, 48 inch single sided cantilever rack




More Images











Product Description

Our Pr

Also called H beam cantilever rack, Mainly consists of column, base, arm, straight brace and "X" brace. Features&Benefits

- 1) Simple structure, easy and quick assembled and disassembled
- 2) Single and double sided configuration available
- 3) Mainly used for the storage of long stuff such as rolled section steel, steel tube, plates, wire lines and so on.
- 4) Bolted arm and base connection
- 5) Made of H type steel or cold rolling steel or frame or square tube
- 6) Loading and unloading of goods can be done manually or by forklifts.
- 7) Selective: direct access to each goods
- 8) The height of cantilever racking is usually lower than 2500mm; Length of arm is shorter than 1200mm, and loading capacity is no more than 1200kg per arm.
- 9) Cantilever racking is mainly used in the Mechanical Manufacturing Industry and markets for building materials.

Features:

This Cantilever rack is perfect for storing long, bulky items such as lumber, pipes, and tubing With its cantilever arm design, it allows for easy access to all stored items. Available in different sizes and with 2-5 levels, this Cantilever storage rack can be customized to fit your specific

It is powder coated or galvanized to provide surface antirust protection, ensuring itsdurability and longevity.

Technical Parameters:

| Level | 2-5 Levels |
|-------------------|-----------------------------|
| Maximum Weight | 1500kgs |
| Surface Treatment | Powder Coated Or Galvanized |
| Base Length | 1100mm-2100mm Or Customized |
| Height | 8-20 Feet |
| Depth | 36-48 Inches |
| Rust | Surface Antirust |
| Usage | Heavy Duty Storage |
| Number Of Arms | 3-6 |
| Color | Customized |

Support and Services:

The Cantilever Racking product technical support and services provided include:

- Assistance with installation and assembly
- Troubleshooting and problem-solving
- Maintenance and repair services
- Training on proper use and safety precautions
- Consultation on custom design and configuration
- Upgrades and modifications for existing systems

Packing and Shipping:

Product Packaging:

The Cantilever Racking product will be packaged with Wrapped film and wooden pad to ensure safe transportation. The product will be disassembled and all necessary hardware will be included in the package along with an instruction manual



Shipping:

The Cantilever Racking product will be shipped via a trusted shipping carrier.

Once the product is shipped, a tracking number will be provided to the customer so they can track their package during transit.



MOT AS YOUR REQUEST

AIR FREIGHT FOR URGENT Transit time:5-7 days

OCEAN SHIPPING NORMALLY Transit time: 15-40 days



Jiangsu Qifei Intelligent Storage Equipment Co., Ltd.

♦ +86-15161451461 sharonyan@qifeirack.com warehouse-rackings.com



Add: #739 Dixiu Road Jiangning District Nanjing China